



1290 Stephenson Rd. S.
Newcastle, ON L1B 1L9
Toll Free: 1-866-516-3999
Phone: (905) 987-3999
Fax: (905) 987-5820
www.advancedpps.ca

*Exclusive Canadian Distributor
EngineMaxx • Revelation • ATL Products*

MATERIAL SAFETY
DATA SHEET

**COMPLETE FUEL
SYSTEM
TREATMENT**

SECTION 1

Company/Manufacturer Name:
Address:
Phone / Fax:
Trade Name:
Chemical Name:
Chemical Family:
Formula:
CAS#:
Applications:

COMPANY IDENTIFICATION AND CHEMICAL PRODUCT

Advanced Technology Lubricants, Inc.
5889 Airport Road, Ste# 1426, Port Orange, FL 32128
Phone 386-322-1666 Fax 386-322-0509
Complete Fuel System Treatment
Aliphatic Hydrocarbons
Petroleum Distillates
Proprietary
8052-41-3
G.A. Fuel treatment is a gasoline fuel additive

SECTION 2

General:

FDA Statement:

COMPOSITION / INFORMATION ON INGREDIENTS

A stoddard solvent base containing as proprietary properties a surfactant, polymeric cold flow improves, lubricity agent, and non-metallic combustion modifiers
N/A

SECTION 3

Appearance:
Known Hazards:

HAZARDS IDENTIFICATION

Clear fluid, yellow tint
Vapors are heavier than air and may travel along the ground or be moved by ventilation and ignited by heat, pilot light, and ignition sources at locations distant from material handling point

SECTION 4

Eyes:

Skin:

Inhalation:

Ingestion:

FIRST AID MEASURES

Flush with clean water (low pressure) for at least 15 minutes. Seek help immediately.
Wash affected area thoroughly with soap and water. Wash contaminated clothing before reuse.
Remove to fresh air. Give artificial respiration if not breathing. Oxygen may be given by qualified personnel if breathing is difficult. Get medical attention.
Do not induce vomiting.

SECTION 5

Flash Point:
Flammable Limits:
Auto Ignition Temp:
Fire & Explosive Hazards:

Extinguishing Media:

Fire Fighting Procedures:

FIRE FIGHTING MEASURES

157 degrees Fahrenheit
LEL:1.0 UEL:6
N/A
Vapors are heavier than air and may travel along the ground or by ventilation and ignited by flame, pilot light, and other sources. Do not cut, drill, or weld empty containers
Dry chemical foam, water spray, carbon dioxide for small fires
Cover with extinguishing agent, use water spray to cool fire exposed containers & as a protective screen.
Do not point water stream directly into burning fluid to avoid spreading.

SECTION 6

Spill or Leak:

ACCIDENTAL RELEASE MEASURES

Contain Spill, absorb with inert absorbent such as dry clay, sand, or diatomaceous

Waste Disposal:	earth, commercial sorbants or recover using pumps. Scoop up used absorbents into appropriate receptacles. Dispose in an approved, secure landfill site or through a licensed waste reclaimer.
<u>SECTION 7</u> Storage Temp – min / max Shelf Life: Precautions:	<u>HANDLING AND STORAGE</u> None / 104 degrees recommended N/A Not for internal use. Avoid contact with skin, eyes, or clothing
<u>SECTION 8</u> Eye Protection: Skin Protection: Respiratory Protection: Ventilation: Exposure Limits:	<u>EXPOSURE CONTROL / PERSONAL PROTECTION</u> Normally none required, chemical goggles if splashing is likely or if high pressure systems are used. For direct contact for more than 2 hours, Viton or Nitrile is recommended, otherwise pvc may be worn. Normally not necessary. If mist is generated, wear approved organic respirator suitable for oil mist areas with sufficient oxygen. General ventilation 5mg/m3
<u>SECTION 9</u> Appearance: Boiling Point: Vapor Pressure: Specific Gravity: Volatilities, % Volume: Odor: Solubility in Water: Evaporation Rate: Viscosity:	<u>PHYSICAL AND CHEMICAL PROPERTIES</u> Clear liquid, yellow tint 312-416 degrees F 1.5 .8019 0% slight odor 1 (Ether = 1) 70 N/A
<u>SECTION 10</u> Stability: Hazardous Polymerization: Incompatibilities: Decomposition Products:	<u>REACTIVITY</u> Product is stable Will not occur Strong oxidizers Analogous compounds evolve, carbon monoxide, carbon dioxide, and other undefined fragments when burned.
<u>SECTION 11</u> General:	<u>TOXICOLOGICAL INFORMATION</u> No Data Available
<u>SECTION 12</u> General	<u>ECOLOGICAL INFORMATION</u> No Data Available
<u>SECTION 13</u> Waste Disposal:	<u>DISPOSAL CONSIDERATIONS</u> Used product must be disposed of in accordance with federal, state, & local environmental control regulations. Incineration is preferred. DO NOT HEAT OR CUT EMPTY CONTAINERS WITH ELECTRIC OR GAS TORCH
<u>SECTION 14</u> Technical Name: D.O.T. Hazard Class: U.N. / N.A. # Product Label:	<u>TRANSPORTATION INFORMATION</u> Petroleum Distillates 6.1 1268 Complete Fuel System Treatment
<u>SECTION 15</u> OSHA STATUS: TSCA STATUS: RCRA STATUS:	<u>REGULATORY INFORMATION</u> Not hazardous under 29 CFR 1910.1200 N/A If discarded in its purchased form this product would not be a hazardous waste either by listing or characteristic. However, it is the responsibility of the product user

to determine at the time of disposal, whether the material being disposed of is a hazardous waste (40 CFR 261.20-24).

SECTION 16

General:

OTHER INFORMATION

This information is furnished without warranty, expressed or implied, except that it is accurate to best knowledge of the Advanced Technology Lubricants, Inc. The data on this sheet related only to the specific material designed herein. ATL Inc. assumes no legal responsibility for the use or reliance on this data.