



1290 Stephenson Rd. S.  
Newcastle, ON L1B 1L9  
Toll Free: 1-866-516-3999  
Phone: (905) 987-3999  
Fax: (905) 987-5820  
www.advancedpps.ca

*Exclusive Canadian Distributor  
EngineMaxx • Revelation • ATL Products*

MATERIAL SAFETY  
DATA SHEET

**PREMIUM  
QUALITY GREASE**

SECTION 1

Company/Manufacturer Name:  
Address:  
Phone / Fax:  
Trade Name:  
Chemical Name:  
Chemical Family:  
Formula:  
CAS#:  
Applications:

COMPANY IDENTIFICATION AND CHEMICAL PRODUCT

Advanced Technology Lubricants, Inc.  
5889 Airport Road, Ste# 1426, Port Orange, FL 32128  
Phone 386-322-1666 Fax 386-322-0509  
Premium Quality Grease  
Petroleum Hydrocarbon and Thickeners  
Petroleum Hydrocarbon and Thickeners  
C15-C50  
Proprietary  
Premium Quality Grease is a wide temperature, very long life multi purpose grease with exceptional water resistance and load bearing capability.

SECTION 2

General:  
FDA Statement:

COMPOSITION / INFORMATION ON INGREDIENTS

This Product Is Non-Hazardous. This product contains No Known Carcinogens. No Special warning labels are required under OSHA 29 CFR 1910.1200  
N/A

SECTION 3

Appearance:  
Known Hazards:

HAZARDS IDENTIFICATION

Smooth, buttery, purple colored paste with faint hydrocarbon odor  
This product is non hazardous No special warning labels are required under OSHA 29 CFR 1910.1200

SECTION 4

Eyes:  
Skin:  
Inhalation:  
Ingestion:

FIRST AID MEASURES

Flush with clean, lukewarm water (low pressure) occasionally lifting eyelids. Physician assessment if eyes are inflamed.  
Wash affected area thoroughly with soap and water. Wash contaminated clothing before reuse.  
Avoid breathing oil mists. Remove to fresh air. Give artificial respiration if not breathing. Get medical Attention.  
Do not induce vomiting. Force fluid. Has laxative effect.

SECTION 5

Flash Point:  
Flammable Limits:  
Auto Ignition Temp:  
Fire & Explosive Hazards:  
Extinguishing Media:  
Fire Fighting Procedures:

FIRE FIGHTING MEASURES

455 degrees Fahrenheit  
N/A  
N/A  
Low Fire Hazard. Do not cut, drill, or weld empty containers  
Dry chemical foam, water spray, carbon dioxide for small fires  
Cover with extinguishing agent, use water spray to cool fire exposed containers & as a protective screen. Do not point water stream directly into burning fluid to avoid spreading.

## SECTION 6

Spill or Leak:

Waste Disposal:

## ACCIDENTAL RELEASE MEASURES

Contain Spill, absorb with inert absorbent such as dry clay, sand, or diatomaceous earth, commercial sorbants or recover using pumps. Scoop up used absorbents into appropriate receptacles.

Dispose in an approved, secure landfill site or through a licensed waste reclaimer.

## SECTION 7

Storage Temp – min / max

Shelf Life:

Precautions:

## HANDLING AND STORAGE

None / 104 degrees recommended

N/A

Not for internal use. Avoid contact with skin, eyes, or clothing

## SECTION 8

Eye Protection:

Skin Protection:

Respiratory Protection:

Ventilation:

Exposure Limits:

## EXPOSURE CONTROL / PERSONAL PROTECTION

Normally none required, chemical goggles if splashing is likely or if high-pressure systems are used.

For direct contact for more than 2 hours, Viton or Nitrile is recommended, otherwise PVC may be worn.

Normally not necessary. If mist is generated, wear approved organic respirator suitable for oil mist areas with sufficient oxygen.

General ventilation

N/A

## SECTION 9

Appearance:

Boiling Point:

Vapor Pressure:

Specific Gravity:

Volatilities, % Volume:

Odor:

Solubility in Water:

Evaporation Rate:

Viscosity:

## PHYSICAL AND CHEMICAL PROPERTIES

Smooth, buttery, purple colored paste

N/A

N/A

< 1 kg /L

0%

Very slight hydrocarbon odor

Negligible

Nil

Varies with Grade

## SECTION 10

Stability:

Hazardous Polymerization:

Incompatibilities:

Decomposition Products:

## REACTIVITY

Product is stable

Will not occur

Strong oxidizers

Analogous compounds evolve, carbon monoxide, carbon dioxide, and other undefined fragments when burned.

## SECTION 11

General:

## TOXICOLOGICAL INFORMATION

No Data Available

## SECTION 12

General

## ECOLOGICAL INFORMATION

No Data Available

## SECTION 13

Waste Disposal:

## DISPOSAL CONSIDERATIONS

Used product must be disposed of in accordance with federal, state, & local environmental control regulations. Incineration is preferred.

DO NOT HEAT OR CUT EMPTY CONTAINERS WITH ELECTRIC OR GAS TORCH

## SECTION 14

Technical Name:

D.O.T. Hazard Class:

U.N. / N.A. #

Product Label:

## TRANSPORTATION INFORMATION

Petroleum Hydrocarbon and Thickeners

Not Regulated

Not Regulated

Premium Quality Grease

## SECTION 15

OSHA STATUS:

## REGULATORY INFORMATION

Not hazardous under 29 CFR 1910.1200

NR-Not Regulated N/A-Not Applicable U-Unknown

TSCA STATUS:  
RCRA STATUS:

N/A  
If discarded in its purchased form this product would not be a hazardous waste either by listing or characteristic. However, it is the responsibility of the product user to determine at the time of disposal, whether the material being disposed of is a hazardous waste (40 CFR 261.20-24).

SECTION 16

General:

OTHER INFORMATION

This information is furnished without warranty, expressed or implied, except that it is accurate to best knowledge of Advanced Technology Lubricants, Inc. The data on this sheet related only to the specific material designed herein. ATL Inc. assumes no legal responsibility for the use or reliance on this data.